


A new member for the

VANSIL FAMILY

Cefa SID is an antibiotic based on Cefadroxil indicated to fight infections caused by Gram+ and Gram- bacteria in dogs and cats.

Cefadroxil belongs to the family of cephalosporins, a group of B-lactams that acts by interfering in the synthesis of the peptidoglycan cell wall leading to the death of the bacteria, exerting a bactericidal effect.



PRODUCTS CATALOG COMPANY ANIMALS

ANTIPARASITICS / THERAPEUTICS / DERMATOLOGICAL
ENVIRONMENTAL USE / PET CARE / SUPPLEMENTS / ANTIBIOTICS

VANSIL
saúde animal

Silmox CL

Amoxicillin Trihydrate and Potassium Clavulanate

Silmox CL has a broad spectrum of action against Gram + and Gram- bacteria (including bacteria producing beta-lactamases). The association between Amoxicillin and Potassium Clavulanate has excellent distribution and persistence, allowing the use of the drug in the various infectious processes of dogs and cats.

ANTIBIOTICS



1 THAT IS WORTH 10 in fighting infections

Silmox arrives to protect dogs and cats
of 10 different threats

Advantages and Benefits

- A highly studied association and used in veterinary medicine;
- In the 4 in 1 ratio (Amoxicillin Trihydrate 10 mg and Potassium Clavulanate 2.5 mg), promoting greater effectiveness in the treatments;
- Suitable for dogs, cats and puppies from 6 weeks of age;
- Safe, with broad spectrum of action, indicated in most infections;
- Low toxicity;
- Chewable, palatable, bisulfated and coated tablets with uniform distribution of the active principles;
- Rapid action: peak plasma concentration of the association occurs between 1 and 2 hours;
- Excellent oral absorption, ensuring low occurrence of undesirable gastrointestinal effects;
- Best cost-benefit ratio: 1 300 mg tablet treats animals weighing 24 kg;
- 100% national product, produced with high technology and innovation.



Indications for use: Oral and periodontal infections, respiratory infections, genitourinary infections, gastrointestinal infections, skin infections, abscesses and wounds, soft tissue surgeries, orthopedic surgeries, ear infections and hepatobiliary infections.

Formula:

Each 50 mg tablet contains

Amoxicillin (Amoxicillin Trihydrate)	40 mg
Clavutanic Acid (Potassium Clavulanate)	10 mg
Excipient q.s.p.	200 mg

Each 300 mg Tablet contains:

Amoxicillin (Amoxicillin Trihydrate)	240 mg
Clavutanic Acid (Potassium Clavulanate)	60 mg
Excipient q.s.p.	1200 mg

Dosage and Administration:

Administer orally 12.5 mg of the combination of Amoxicillin and Potassium Clavulanate for each kg of body weight, 2 times a day (every 12 hours). Bisulfite tablets to adjust the dose to the weight of the animal.

Silmox CL 50 mg Tablets:

Weight	Quantity of the product
2 kg	½ comp.
4 kg	1 comp.
6 kg	1 and ½ comp.
8 kg	2 comp.

Tablets of Silmox CL 300 mg

Weight	Quantity of the product
12 kg	½ comp.
24 kg	1 comp.
36 kg	1 and ½ comp.
48 kg	2 comp.

Cefa SID

Cefadroxila

Cefa SID is an antibiotic based on Cefadroxil indicated to fight infections caused by Gram+ and Gram- bacteria in dogs and cats.

Cefadroxil belongs to the family of cephalosporins, a group of B-lactams that acts by interfering in the synthesis of the peptidoglycan cell wall leading to the death of the bacteria, exerting a bactericidal effect.



Advantages and Benefits

- Broad-spectrum antibiotic, indicated in the various infectious processes, with its main indication in the treatment of dermal infections;
- Once daily, SID. Greater convenience and ease in treatment;
- Cefadroxil has a different structure than other cephalosporins, giving a longer average life and greater concentration in the body;
- Excellent safety profile for dogs and cats of all ages;
- It has 4 forms for easy administration;
- Coated tablets, ensuring low occurrence of undesirable gastrointestinal effects;
- It can be administered alone or mixed with food – it does not interfere with its bioavailability.



SOLUTION IN SINGLE DAILY DOSE

Greater practicality and ease in treatment.

Dosage and Administration: Administer 22 mg orally for each kg of weight once a day. In severe cases, the daily dose can be doubled safely, in which case treatment twice a day is advised. Changes in the administration and dosage must occur depending on the severity of the condition, always at the discretion of the Veterinarian.

Mild infections: 5 to 7 days of treatment.
Severe infections: up to 30 days of treatment.



Cefa SID 110 mg:

Weight	Dose
2,5 kg	½ tablet
5 kg	1 tablet
7,5 kg	1 and ½ tablet
10 kg	2 tablets



Cefa SID 220 mg:

Weight	Dose
5 kg	½ tablet
10 kg	1 tablet
15 kg	1 and ½ tablet
20 kg	2 tablets



Cefa SID 440 mg:

Weight	Dose
10 kg	½ tablet
20 kg	1 tablet
30 kg	1 and ½ tablet
40 kg	2 tablets



Cefa SID 660 mg:

Weight	Dose
15 kg	½ tablet
30 kg	1 tablet
45 kg	1 and ½ tablet
60 kg	2 tablets

Presentation:

Cartridges containing 10 tablets in the 110 mg, 220 mg, 440 mg and 660 mg presentations.
Displays containing 100 tablets in the same presentations.

ANTIPARASITICS

Line **TOP GARD** ANTHELMINTIC

TOP GARD PUPPY



Benefits and Indications

- Anthelmintic for dogs, with broad spectrum of action, which includes:

*Ascilostomídeos (Ancylostoma caninum),
Ascarídeos (Toxocara canis e Toxocara leonina) e
Cestódeos (Taenia pisiformes)*

- In suspension, suitable for puppies and adults

- More concentrated: 1 ml to 2 kg

Formula:

Each 100 mL contains:
Fenbendazole.....10,3 g
Vehicle q.s.p100 ml

Dosage and administration:

Administer orally or mixed to the food, 1 ml for every 2 kg of weight, once a day for 3 consecutive days. Repeat the treatment after 21 days.

Presentation:

20 mL bottle
Provides dosing syringe that makes product administration easier and more effective.

Changes in dosage and administration at the discretion of the Veterinarian.

TOP GARD



Benefits and Indications

- Anti-helmíntico para cães e gatos, para controle nas verminoses causadas por nematódeos e cestódeos:

Ancylostoma caninum, Ancylostoma tubaeforme, Toxocara canis, Toxocara cati, Uncinaria stenocephala, Toxascaris leonina, Taenia hydatigena, Taenia spp., Dipylidium caninum, Echinococcus granulosus, Echinococcus multilocularis, Mesocestoides spp., Hydatigera taeniaeformis e Multiceps multiceps.

- Palatable meat flavor

- Practical dose: 1 tablet to 10 kg

Formula:

Each tablet of 660 mg has:
Piranth Parloat144 mg
Praziquantel50 mg
Excipient q.s.p660 mg

Dosage and administration: Oral route, which can be administered directly into the mouth of the animal or mixed with food.

Use 1 tablet of Top Gard for each 10 kg of weight, for dogs and cats, according to the table of dosages:

WEIGHT	DOSAGE
Up to 5 kg	½ tablet
From 6 to 10 kg	1 tablet
From 11 to 15 kg	1 and ½ Tablets
From 15 to 20 kg	2 tablets
From 21 to 25 kg	2 and ½ Tablets
From 25 to 30 kg	3 tablets
From 31 to 35 kg	3 and ½ Tablets
From 36 to 40 kg	4 tablets

Presentation:

4 tablets blister box
Display with 25 blister with 4 tablets

Changes in dosage and administration at the discretion of the Veterinarian.

TOP GARD PLUS



Benefits and Indications

- Anthelmintic 3 in 1 for dogs and cats. Control of nematodes and nematodes:

Dogs: Toxocara canis, T. leonina, Ancylostoma caninum, A. brasilienses, Uncinaria stenocephala, Trichuris vulpis, Echinococcus granulosus, E. multilocularis, Taenia multiceps, T. taeniformis, T. Pisiformis, T. hydatigena, T. ovis, Mesocestoides spp., Dipylidium caninum e Joeuxiella pasqualei.

Roosters: Toxocara cati, Ancylostoma tubaeformis, Dipylidium caninum, Taenia taeformis, T. leonina, A. brasilienses, Echinococcus multilocularis, Mesocestoides spp.

- Practical dose: 1 tablet to 10 kg

Formula:

Each tablet of 600 mg has:
Praziquantel.....50 mg
Pirantel (Pamoate).....144 mg
Febantel.....150 mg
Excipient q.s.p600 mg

Dosage and administration: Oral use, which can be administered directly into the mouth of the animal or mixed with food. The following schedule provides the recommended doses for the various weight ranges:

WEIGHT	DOSAGE
Up to 2 kg	¼ tablet
From 2 to 5 kg	½ tablet
From 5 to 10 kg	1 tablet
Above 10 kg	1 tablet / 10 kg

Cats:

Dosage: ¼ tablet for every 2 kg

Presentation:

Tablets blister box
Display 25 blisters with 4 tablets

Changes in dosage and administration at the discretion of the Veterinarian.

SHAMPOO ECTOLIN

Permethrin-based ectoparasiticide shampoo for dogs



Benefits and Indications

- Fight ticks
- Control fleas and lice
- Help in the control of scabies
- Knockdown effect

Formula:

Each 100 mL contains:
 Permethrin.....0,04 g
 Sodium Lauryl Sulfate.....10 g
 Vehicle q.s.p100 mL

How to use:

Apply to moistened hair, massaging until it reaches a homogeneous foam throughout the body of the animal. Wait a few minutes for the product to act and then rinse. Repeat the operation for 2 to 3 days, or until ectoparasites are removed.

Presentation:

300 ml bottle

MAX PRATA

Larvicide, repellent, healing, antiseptic and haemostatic



Benefícios e Indicações

- Long-acting superadhesive powder
- Controls myiasis (flystrike or blowfly strike)
- Botfly repellent
- Rapid healing
- 360° valve

Formula:

Each 100 g of concentrate contains:
 Sulfadiazine of Silver.....0,1 g
 Dichlorvos.....1,6 g
 Cypermethrin.....0,4 g
 Aluminum.....5,0 g
 Vehicle q.s.p100 g
 Propellant: Butane/Propane.....80:20

How to use:

Shake the bottle vigorously and spray at a distance of 10 to 20 cm, inside the wound and at its edges, covering the entire area.

Presentation:

200 mL bottle (116g)

CYPERMEIT

Control of ticks and flies (spraying)



Benefits and Indications

- Pyrethroids based on Cypermethrin
- Combats ticks, flies, scabies and lice

Formula:

Each 100 mL contains:
 Cypermethrin.....15 g
 Vehicle q.s.p100 ml



TICKS



FLIES



SCABIES



LICE

Dosage and administration:

Spraying environments: dilute 3 ml of the product in 1 liter of water. Spray the beds and the places where the animals usually rest.

Presentation:

20 ml bottle

Changes in dosage and administration at the discretion of the Veterinarian.



UNGUENTO PLUS

Larvicide, repellent and healing

Benefits and Indications

- Repellent action
- Healing
- Controls myiasis (flystrike or blowfly strike) and botfly
- Soft textured ointment for easy application
- Does not dry the skin

Formula:

Each 100g contains:
 Piperonyl butoxide.....3,5 g
 Permethrin0,5 g
 Anca oxide20 g
 Vehicle q.s.p100 g

How to use:

Topical use: dry the wound with a gauze and apply the product with the aid of a spatula. Repeat application daily until complete wound healing. Crusts should be removed before applying the ointment.

The product should be applied as long as necessary until complete healing.

Presentation:

50 g bowl



THERAPEUTICS

UNIQUE WITH THERAPEUTIC EFFECT



HÁLITO DINE

Oral antiseptic for dogs and cats

Indications and Benefits

- Prophylaxis and treatment of mouth, gum and throat infections
- Fights bad breath and prevents tartar
- Immediate and effective action against major bacteria
- Safe for dogs and cats

Formula:

Each 100ml contains:
Chlorhexidine digluconate (20%)...1 ml
Mint..... 0,15 ml
Vehicle q.s.p.....100 ml

How to use:

Nebulize directly in the oral cavity. Prophylaxis of Halitosis (bad breath): 2 times daily and after each meal, daily. Infections in the mouth, gum and throat: 4 times a day until total healing. Note: For each 1 mL application, press the valve 6 times.

Presentation:

Bottle 50 mL

ANALGESIC



Indications and Benefits

- Relief of muscle aches
- Dislocations
- Artrites
- Sprains
- Mialgias

ALUMEX

Analgesic, anti-inflammatory and decongestant ointment


Formula:

Each 100 g contains:
Melga salicylate.....4 mL
Peruvian Balsam.....3 g
Camphor.....5 g
Aluminum and Potassium Sulphate.....4,29 g
Zinc acid.....10 g
Excipient q.s.p.....100 g

How to use: Apply thin layer of Aiumex in the area to be treated. Massage gently for enough time for the relief of painful sensation. Repeat application 2 times a day until condition recovery.

Presentation:

Tube 30 g



ANTI-INFLAMMATORY



Indications and Benefits

- Anti-inflammatory
- Antiseptic
- Anti-rheumatic (arthritis and bruises)
- Combats summer eczema of any naturea

V-CORT

Oral dexamethasone for dogs and cats

Formula:

Each tablet contains:
Dexamethasone acetate.....0,5 mg
Excipient q.s.p.....200 mg

How to use:

Oral use, directly in the animal's mouth. Dogs: ½ to 3 tablets daily, given once or twice. Cats: ½ to 1 tablet daily, given once or twice. Treatment duration: 7 consecutive days.

Changes in dosage and administration at the discretion of the Veterinarian.

Presentation:

20 tablets cartridge

HYGIENE



PET DERMYL

Shampoo para tratamento de dermatopatias em cães e gatos

Benefits and Indications

- Treatment and prophylaxis of dermatitis and pyodermatitis of the folds, superficial folliculitis, impetigo and seborrhea
- With active spheres
- Removes oiliness, leaves the fur soft and fragrant (citrus essence)

Formula:

Each 100 ml of the product contains:
Benzoyl peroxide.....2,5 g
Sodium laureth sulfate.....15 g
Citrus Fruit Essence.....0,02 mL
Vehicle q.s.p.....100 mL

How to use:

Moisten and apply the product throughout the body of the animal, massaging mainly the most affected parts, letting the product act for 10 minutes and perform the rinsing, then drying. At the start of treatment, the bath is recommended on alternate days. After a sign of improvement, decrease the baths to 2 times a week. As a prophylactic measure, use the product as a routine, in 1 bath per month. If lesions are localized, the product can be applied only in the most affected regions, at the frequency mentioned above.

Presentation:

500 mL bottle



RICINUS

Moisturizing ointment

Benefits and Indications

- Moisturizer with castor oil

Formula:

Castor Oil.....10 g
Vehicle q.s.p100 g

How to use:

Apply a thin layer under the animal's skin.

Presentation:

Tube 50 g



PET CARE



SOLUÇÃO OTOLÓGICA

Topical ear hygenizer for dogs and cats

Formula:

Each 100 ml contains:
Salicylic Acid.....0,15 g
Lactic Acid.....2,9 g
Aloe Vera Extract.....41 g
Vehicle q.s.p100 mL

Dosage and administration:

Apply the product and massage externally for about 1 minute.

Presentation:

100 mL bottle

Benefits and Indications

- Hygiene of the auditory canal and auricular pavilion
- Removal of cerumen and dirt
- Aloe vera extract



DON'T TRY TO HIDE.



**WITH VANCID 10
THERE IS NO HIDING PLACE
PERFECT FOR VIRUSES,
FUNGI AND BACTERIA.**

Trust me, Vansil solves it.



DISINFECTANT

Environmental disinfectant based on Quaternary Ammonia

How to Use:

Industry and residential: Dilute 10 mL in 5 liters of water.
Apply on floors and walls after prior washing.
Use in equipment: Dilute 10 mL in 6 liters of water for disinfection of surgical instruments, slides, feeders and drinking fountains.
Use the solution in the immersion system for a maximum of 15 to 20 minutes.

Presentation:

1 liter bottle with doser.

Formula:

Each 100 ml contains:
N-Alkyl-Benzyl-Dimethyl Ammonium Chloride....10 g
Vehicle q.s.p.....100 ml

- Kills bacteria, fungi and viruses
- Eliminates odors

Indications and Benefits

- High power disinfectant
- Super concentrated, yields 500 liters
- Combat bacteria, fungi and viruses

SUPPLEMENTS



Gestation, lactation, growth and development.



AMINO DOG

Mineral amino acid vitam supplement for Dogs



MEAT FLAVOR

Palatable Tablets

Basic composition: folic acid, glutamic acid, alanine, arginine, meat flavor, biotin, cistern, choline chloride. DL-methionine sulfur vented, phenylalanine, phosphate bicalcium glycine, potassium iodate, L-Carnitine, L-Lysine, Niacin, Zinc Oxide, Calcium Pantothenate, Proline, Sodium Selenite, Serine, Cobalt Sulphate, Copper Sulphate, Iron Sulphate, Magnesium Sulphate, Manganese Sulphate; tyrosine, threonine, tryptophan, valine, vitamin A, vitamin B1, vitamin B12, vitamin B2, vitamin B6, vitamin C, vitamin O3, vitamin E and vehicle q.s.p.

Advantages and Benefits

- Indicated in the stages of growth, gestation and lactation
- Improves performance of animals in training
- Helps in improving the nutritional quality of foods

How to use:

Give 1 tablet for every 5 kg of body weight per day. For animals over 20 kg in weight, provide 4 tablets daily.

Presentation:

120 tablets bottle
Meat flavor

Levels of warranty	Per kg of product	Per tablet
Folic acid	1,720 mg	0.86 mg
Glutamic acid	490 mg	0.24 mg
Alanine	1,880 mg	0.94 mg
Arginine	1,336 mg	0.66 mg
Biotin	877 mg	0.4385 mg
Calcium (min./max.)	100/102 mg	50/51 mg
Cysteine	126 mg	0.06 mg
Cobalt	40 mg	0.02 mg
Copper	174 mg	0.08 mg
Hill	9,000 mg	4.5 mg
Sulphur	199 mg	0.09 mg
Phenylalanine	352 mg	0.17 mg
Iron	280 mg	0.14 mg
Phosphorus	83 g	41.5 mg
Glycine	4,500 mg	2.25 mg
Histidine	245 mg	0.1225 mg
Sludae	92 mg	0.046 mg
L-Carnitine	7,440 mg	3.75 mg
L-Lysine	26 g	13 mg
Magnesium	160 mg	0.08 mg
Manganese	662 mg	0.33 mg
Methionine	17 g	8.5 mg
Niacin	590 mg	0.29 mg
Potassium	29 mg	0.01 mg
Proline	3,136 mg	1.56 mg
Selenium	99 mg	0.04 mg
Serine	279 mg	0.13 mg
Tyrosine	104 mg	0.05 mg
Threonine	245 mg	0.12 mg
Tryptophan	90 mg	0.04 mg
Valine	450 mg	0.22 mg
Vitamin A	1,100,000 UI	550 UI
Vitamin B1	200 mg	0.1 mg
Vitamin B2	200 mg	0.1 mg
Vitamin B6	108 mg	0.05 mg
Vitamin B12	200 mcg	0.1 mcg
Vitamin C	5,128 mg	2.56 mg
Vitamin D3	60,000 UI	30 UI
Vitamin E	500 UI	0.25 UI
Zinc	3,400mg	1.7 mg

SUPPLEMENTS

HEP Suspension and tablets



STRAWBERRY AROMA



Supplement for dogs and cats

Warranty levels	Per kg of product
Folic acid	5,000 mg
Artichoke Extract	120 g
Thistle Extract	125 g
Vitamin B1	3,000 mg
Vitamin B2	1,000 mg
Vitamin B6	1,500 mg
Vitamin B12	16,000 mcg
Vitamin C	2,000 mg
Vitamin K3	2,000 mg

Basic composition: folic acid, artichoke extract, thistle extract, vitamin B1, vitamin B12, vitamin B2, vitamin B6, vitamin C, vitamin K3, strawberry aroma (suspension) and meat aroma (tablets) and vehicle q.s.p.

Hep Suspension

How to use:

Administer orally 2 mL for every 10 kg of bodyweight per day.

Presentation:

60 mL bottle
Strawberry flavor

MEAT FLAVOR



HEP Tablets

How to use:

Administer orally 1 tablet for 10 kg of bodyweight per day.

Presentation:

Bottle 60 tablets
Meat flavor

Changes in the mode of use at the discretion of the Veterinarian.

Levels of warranty	Per kg of product	Per tablet
Folic acid	5,000 mg	5.0 mg
Artichoke Extract	120 g	120 mg
Thistle Extract	250 g	250 mg
Vitamin B1	3,000 mg	3.0 mg
Vitamin B2	1,000 mg	1 mg
Vitamin B6	1,500 mg	1.5 mg
Vitamin B12	16,000 mcg	16.0 mcg
Vitamin C	2,000 mg	2.0 mg
Vitamin K3	2,000 mg	2.0 mg

Advantages and Benefits

- Helps in the metabolism of fat and protein
- Thistle Extract
- Folic acid
- Vitamins of the B complex
- Palatable

PELO and PELO 2000

Mineral amino acid vitamin supplement for dogs and cats



MEAT FLAVOR



MEAT FLAVOR

Advantages and Benefits

- Maintenance of skin structure and furs
- Omega 3 (linolenic acid)
- Omega 6 (linoleic acid)
- Biotin and Zinc
- Tablets with high palatability

How to use:

Give 1 tablet for every 10 kg of body weight for 20 consecutive days

Presentation:

Bottle 120 tablets
Meat flavor

How to use:

Give 1 tablet for every 20 kg of body weight for 20 consecutive days For dogs over 30 kg in weight, provide 2 tablets per day.

Presentation:

Bottle 60 tablets
Meat flavor

Basic composition: folic acid, linoleic acid, linolenic acid, arginine, meat flavor, biotin, choline chloride, DL-methionine, ventilated sulfur, phenylalanine, dicalcium phosphate, potassium iodate, L-lysine, niacin, zinc oxide. Calcium Pantothenate, sodium selenite, Copper Sulphate, Cobalt Sulphate, Magnesium Sulphate, Threonine, Tryptophan, Valine, Vitamin A, Vitamin B1, Vitamin B12, Vitamin B2, Vitamin E, Vitamin C, Vitamin D3, Vitamin E and Vitamin K3.

Levels of warranty	Per kg of prod.	Per tablet VITASIL PELO	Per tablet VITASIL PELO 2000
Folic Acid (minimum)	960 mg	0.48 mg	1.92 mg
Linoleic Acid (minimum)	3,920 mg	1.96 mg	7.84 mg
Linolenic Acid (minimum)	4,500 mg	2.25 mg	9.0 mg
Arginine (minimum)	4,449 mg	2.223 mg	8.892 mg
Biotin (minimum)	97.5 mg	0.04875 mg	0.195 mg
Calcium (minimum)	16/ 18 g	8.0/9.0 mg	24.0/ 36.0 mg
Cobalt (minimum)	30 mg	0.015 mg	0.06 mg
Copper (minimum)	40 mg	0.02 mg	0.08 mg
Hill (minimum)	12 g	6.0 mg	24.0 mg
Methionine (minimum)	90 g	45 mg	180.0 mg
Sulfur (minimum)	99 mg	0.0495 mg	0.198 mg
Phenylalanine (minimum)	4,925 mg	2.4625 mg	9.85 mg
Phosphorus (minimum)	13 g	6.5 mg	26.0 mg
Sludge (minimum)	177 mg	0.0885 mg	0.354 mg
L-Lysine (minimum)	49 g	24.5 mg	98.0 mg
Magnesium (minimum)	4,450 mg	2.225 mg	8.9 mg
Niacin (minimum)	267 mg	0.1335 mg	0.534 mg
Potassium (minimum)	50 mg	0.025 mg	0.1 mg
Selenium (minimum)	29.7 mg	0.01485 mg	0.0594 mg
Threonine (minimum)	1,078 mg	0.539 mg	0.13475 mg
Tryptophan (minimum)	2,352 mg	1.176 mg	4.704 mg
Valine (minimum)	4,925 mg	2.4625 mg	9.85 mg
Vitamin A (minimum)	300,000 UI	150 UI	600 UI
Vitamin B1 (minimum)	40 mg	0.02 mg	0.08 mg
Vitamin B12 (minimum)	80 mcg	0.04 mcg	0.16 mcg
Vitamin B2 (minimum)	50 mg	0.025 mg	0.1 mg
Vitamin B6 (minimum)	990 mg	0.495 mg	1.98 mg
Vitamin C (minimum)	300 mg	0.15 mg	0.6 mg
Vitamin D3 (minimum)	7,000 UI	3.5 UI	14.0 UI
Vitamin E (minimum)	1,400 UI	0.7 UI	2.8 UI
Vitamin K3 (minimum)	600 mg	0.3 mg	1.2 mg
Zinc (minimum)	1,000 mg	0.5 mg	2.0 mg



ENERGY *Amino acid vitamin supplement for dogs and cats*



- Amino acids and vitamins that aid growth, development and maintenance
- Preparation for exhibitions and competitions
- B complex vitamins and folic acid, important for the metabolism and formation of blood cells
- Practical dose: 1 ml. or 1 tablet to 10 kg
- Helps improving appetite



Palatable tablets

Levels of warranty	Per kg of product	Per tablet
Folic Acid (minimum)	5,000 mg	5 mg
Hill (minimum)	49,98 g	49 mg
Methionine (minimum)	79,992 g	79,99 mg
Dextrose Equivalent (minimum)	200 g	200 mg
L-Lysine (minimum)	29,988 g	29,98 mg
Vitamin B1 (minimum)	2,940 mg	2,94 mg
Vitamin B12 (minimum)	14,700 mcg	14,70 mcg
Vitamin B2 (minimum)	960 mg	0,96 mg
Vitamin B6 (minimum)	1,485 mg	1,48 mg
Vitamin C (minimum)	1,980 mg	1,98 mg
Vitamin K3 (minimum)	1,989 mg	1,98 mg

Energy Tablets

How to use:

Administer by mouth directly into the animal's mouth or in the food 1 tablet for every 10 kg of weight per day, for 20 consecutive days.

Presentation:

60 tablets bottle

Basic composition: folic acid, choline chloride, L-Lysine, DL-melionine, maltodextrin, vitamin B1, vitamin B12, vitamin B2, vitamin B6, vitamin Cm vitamin K3 and vehicle q.s.p.



Levels of warranty	Per kg of product
Folic Acid (minimum)	5,000mg
Hill (minimum)	50g
Glucose (minimum)	200g
L-Lysine (minimum)	30,6g
Methionine (minimum)	50g
Vitamin B1 (minimum)	3,000mg
Vitamin B12 (minimum)	16,000mcg
Vitamin B2 (minimum)	1,000mg
Vitamin B6 (minimum)	1,500mg
Vitamin C (minimum)	2,000mg
Vitamin K3 (minimum)	2,000mg

Palatable liquid

MILK AND BANANA FLAVOR

Energy Liquid

How to use:

Dogs and cats
Puppies: Administer 10 drops of the product per animal for 20 consecutive days.
Adults: 1 ml per 10 kg bodyweight for 20 consecutive days

Presentation:

30mL and 120 mL bottle
Milk and banana flavor

Basic composition: Mico acid, glucose, banana flavor, milk flavor, choline chloride, L-lysine, methionine, vitamin B1, vitamin B12, vitamin B2, vitamin B6, vitamin C, vitamin K3 and vehicle q.s.p.

CÁLCIO FOR

Stronger bones and teeth



Advantages and Benefits

- Normalize the levels of calcium, phosphorus and essential vitamins in the stage of growth, development and the constitution of bones and teeth
- Vitamin D3

CÁLCIO FOR TABLETS

Mineral vitam supplement for Dogs and cats



Palatable Tablets

Levels of warranty	Per kg of product	Per tablet
Calcium (min./max.)	105 / 107 g	52.5 / 53.5 mg
Phosphorus	45 g	22.5 mg
Vitamin A	2,000,000 UI	1,000 UI
Vitamin B12	550 mcg	0.27 mcg
Vitamin D3	1,000,000 UI	500 UI
Fluorine (max)	450 mg	0.22 mg

Cálcio FOR tablets

How to use:

Give 1 tablet for every 3 kg of body weight per day for 15 consecutive days

Presentation:

150 tablets bottle
Meat and milk flavor

MEAT AND MILK FLAVOR

Basic composition: dicalcium phosphate, calcium lactate, vitamin A, vitamin B12, vitamin D3, meat aroma, milk aroma and vehicle q.s.p.

CÁLCIO FOR SUSPENSION

Mineral vitamin supplement for dogs



Líquido palatável

Warranty levels	Per kg of product
Calcium (minimum/maximum)	15.2/ 16 g
Fluorine (maximum)	72 mg
Phosphorus (minimum)	7,200 mg
Vitamin (minimum)	250,000 UI
Vitamin (minimum)	5,000 mcg
Vitamin (minimum)	400,000 UI

VANILLA FLAVOR

Cálcio FOR suspension

How to use:

Small puppies: Administer 5 to 10 mL of the product per day orally for 20 consecutive days. Medium puppies: Administer 20 to 30 mL of the product per day orally for 20 consecutive days. Big puppies: Administer 30 to 50 mL of the product per day orally for 20 consecutive days. Lactating females: Administer orally 30 mL of the product a day, beginning 3 days before the expected delivery date until the weaning of the puppies.

Presentation:

100 mL bottle
Vanilla flavor

Basic composition: vanilla aroma, calcium chloride, dicalcium phosphate, vitamin A, vitamin B12, vitamin D3 and vehicle q.s.p.



Peaceful weaning



Supplement for dogs and cats

MEAT FLAVOR

Warranty levels Per kg of product

Bacillus subtilis (min.)	2x10 ⁸ UFC
Bifidobacterium bifidum (min.)	3x10 ⁸ UFC
Enterococcus faecium (min.)	2x10 ⁸ UFC
Lactobacillus acidophilus (min.)	3x10 ⁸ UFC
Saccharomyces cerevisiae (min.)	3x10 ⁸ UFC
Mananoligossacarídeos (min.)	150 g
Zinc Oxide (min.)	91.2 g
Vitamin A (min.)	5,000 UI

How to use:

Young and adult small breed dogs: administer 2 g for 7 consecutive days at birth.

Adult dogs: administer 4 g daily for 7 days.

Cats: administer 2 g daily for 7 days.

Presentation:

Display with 6 syringes of 14 g

Meat flavor

Advantages and Benefits

- Reduces stress during weaning
- Recomposes intestinal microbiotics
- Improves the general conditions of the animals
- Probiotic additives
- MOS (prebiotics)

CREATINA E 100

Vitamin supplement for dogs

Warranty levels Per kg of product

Creatine	120 g
Vitamin E	5,000 UI



VANILA FLAVOR

+ Energy

Advantages and Benefits

- Improves performance of dog athletes
- Association of Creatine + Vitamin E
- Maltodextrin
- Vanilla flavor

Basic composition:

Vanilla Aroma, Creatine, Maltodextrin and Vitamin E

How to use:

Administer 2 g of the product per kg of body weight, once a day along with the animal feed, for a period of 28 days.

Presentation:

750 g sachet
Accompanying measure meter of 10 g
Vanilla flavor

PET SLIM

L- Carnitine in the care of overweight dogs and cats

Warranty levels Per kg of product

Chromium (Minimum)	68 mg
Glycine (Minimum)	93 g
L-Carnitine (Minimum)	125.73 g



Basic composition:

dicaric acid, red fruit aroma, sodium cyclamate, chromium amino acid chelate, glycine, L-Carnitine and carrier q.s.p.

How to use:

Administer orally or mixed to the food according to the dosage: Dogs: 3 mL for every 10 kg of weight. Cats: 2 mL daily. Changes in the mode of use at the discretion of the Veterinarian.

Presentation: 50 mL bottle

Comes with dosing syringe



RED FRUIT FLAVOR

Advantages and Benefits

- L-Carnitine plays a key biological role in the transport of long-chain fatty acids through the mitochondrial membrane; thus participating in the energy metabolism of the cells.
- Chromium: suggested effects include increased lean mass, decreased fat percentage, and increased basal metabolic rate (Pittler, M. H. & Ems4 E. 2004)
- High palatability


SUPPLEMENTS

ENERGYSI

Mineral supplement for dogs and cats

Warranty levels Per kg of product

Calcium (min./max.)	18/20 g
Magnesium (min)	119 mg
Potassium (min)	12 g
Sodium (min)	19.7 g



Advantages and Benefits

- Moisturizer, electrolyte and energy repository
- Maltodextrin
- Physical exercises, trainings and exhibitions
- Easy dilution
- One 10 g sachet = 500 mL of solution
red fruit aroma

+ Energy

How to use:

Dilute in water to the ratio of 10 g to 500 mL and provide at will. After reconstitution, the product should be kept refrigerated and consumed within 24 hours.

Presentation:

10 g sachet

Basic composition: milk flavor, calcium chloride, potassium chlorate, sodium chloride, magnesium sulfate and maltodextrin.



ZEOTOP

Vitamin Mineral Amino Acid Supplement for dogs and cats



Advantages and Benefits

- Charcoal and zeolite adsorbents of toxins and poisons
- Vitamin B6
- Inulin: promotes the selection of beneficial bacteria
- Fast, easy and complete dilution
- Glutamic acid

Property:

Zeolite and Charcoal chemically exert an important role in digestive tract in cases of food poisoning or tonic substances, as they act as adsorbents [sequestrant and neutralizing] of the toxins present in the stomach and intestine. Charcoal, because of its porous surface, captures the agent causing the poisoning, preventing its absorption by the body.


Presentation:

10 g sachet

Basic composition: glutamic acid, charcoal, chicory root, vitamin B6, zeolite and zinc amino acid chelate.

How to use:

For oral use, administer 10 g of the product in 40 ml of water for every 10 kg every 8 hours.



A friendship can last long when you take care.

with **PRÓ-ARTRO** he **REGENERATES**



Line **PRÓ-ARTRO**



Palatable Tablets

Levels of warranty	Per kg of product	Per tablet PRÓ-ARTRO 1000	Per tablet PRÓ-ARTRO 500
Chondroitin Sulfate A (Min.)	201,60 g	201,60 mg	100,8 mg
Vitamin C (Min.)	50,05 g	50,05 mg	25,02 mg
Manganese (Min.)	21,60 g	21,60 mg	10,8 mg
Glucosamine Sulfate (Min.)	300,70 g	300,70 mg	150,35 mg

Indications: PRÓ-astro is indicated in the supplementation of mucopolysaccharides chondroitin sulfate and glucosamine; as well as vitamin C and manganese.

Basic composition: ascorbic acid monophosphate, citric acid, BHA, porcine liver, propylgalate, vitamin C, chondroitin sulfate A, glycosamine sulfate, manganese sulfate and vehicle q.s.p.

PRÓ-ARTRO 1000

Modo de uso:

Suplementação inicial:

Animais de até 10 kg - 1 comprimido ao dia.
Animais de 11 a 20 kg - 2 comprimidos ao dia.
Animais de 21 a 30 kg - 3 comprimidos ao dia.
Animais de 31 a 40 kg - 4 comprimidos ao dia.

Suplementação de manutenção:

Animais de até 10 kg
1 comprimido em dia alternados.
Animais de 11 a 20 kg - 1 comprimido ao dia.
Animais de 21 a 30 kg - 2 comprimidos ao dia.
Animais de 31 a 40 kg - 3 comprimidos ao dia.
Alterações no modo de uso à critério do Médico Veterinário.

Presentation: 60 tablets bottle

PRÓ-ARTRO 500

How to use:

Initial Supplementation:

Animals up to 5 kg - 1 tablet per day.
Animals weighing 6 to 10 kg - 2 tablets daily.

Maintenance Supplementation:

Animals up to 5 kg
1 on alternate days.
Animals weighing 6 to 10 kg - 1 tablet daily.
Changes in the mode of use at the discretion of the Veterinarian.

Presentation: 60 tablets bottle

SUPPLEMENTS



VITASIL SENIOR

For dogs and cats with old age



Palatable
Tablets

AROMA OF MEAT

Advantage and Benefits

- Omega 3 (linolenic acid)
Omega 6 (linoleic acid)
- Vitamins, minerals and amino acids
- Nutrients to meet the main organic demands
- Improvement in quality of life for animals of old age

Basic composition: folic acid, linoleic acid, linolenic acid, arginine, meat flavor, biotin, choline chloride, DL-methionine, ventilated sulfur, phenylalanine, dicalcium phosphate, potassium iodate, L-lysine, niacin, zinc oxide. Calcium Pantothenate, Cobalt Sulphate, Copper Sulphate, Magnesium Sulphate, Threonine, Tryptophan, Valine, Vitamin A, Vitamin B1, Vitamin B12, Vitamin B2, Vitamin B6, Vitamin C, Vitamin D3, Vitamin E and Vitamin K3 and Vehicle q.s.p.

How to use:
Give 1 tablet for every 5 kg of body weight for 20 days

Presentation:
Bottle 120 tablets

Levels of warranty	Per kg of prod.
Folic Acid (minimum)	3,800 mg
Linoleic Acid (minimum)	34mg
Linolenic Acid (minimum)	40 mg
Arginine (minimum)	6.900 mg
Biotin (minimum)	292 mg
Calcium (minimum/maximum)	51/53 g
Cobalt (minimum)	8 mg
Copper (minimum)	686 mg
Hill (minimum)	11.9 mg
Sulfur (minimum)	99 mg
Phenylalanine (minimum)	15 mg
Phosphorus (minimum)	41 g
Sludae (minimum)	30 mg
L-Lysine (minimum)	18 g
Magnesium (minimum)	7,000 mg
Methionine (minimum)	12 g

Levels of warranty	Per kg of prod.
Niacin (minimum)	1,000 mg
Potassium (minimum)	10 mg
Threonine (minimum)	1,200 mg
Tryptophan (minimum)	4,900 mg
Valine (minimum)	4,900 mg
Vitamin A (minimum)	180,000 IU
Vitamin B1 (minimum)	150 mg
Vitamin B12 (minimum)	80 mcg
Vitamin B2 (minimum)	180 mg
Vitamin B6 (minimum)	150 mg
Vitamin C (minimum)	1,500 mg
Vitamin D3 (minimum)	300,000 IU
Vitamin E (minimum)	1,400 IU
Vitamin K3 (minimum)	280 mg
Zinc (minimum)	100 mg

CAT MALT

Cat Food Supplement

Warranty Levels Per kg of product

Ethereal Extract (Minimum)	20 g/kg
Soy Lecithin (Minimum)	10 g/kg
Gross Protein (Minimum)	222 g/kg

Basic composition: soy lecithin, brewer's yeast, vegetable oil, malt radicle, B.H.I. (Butylated Toluene Hydroxide) and vehicle q.s.p.

How to use:
To administer 1 g of the product for young animals and 2 g of the adult animal product directly into the mouth of the animal 1 day for 5 consecutive days and repeated every 10 days.

Presentation:
30 g dosing syringe



Advantages and Benefits

- Protein supplement of rapid transit to the intestine
- Prevents formation of hairballs
- Malt radicle

ANTI
HAIR
BALL



Pleasant taste





VANSIL

animal health

CONNECT WITH US



www.vansil.com.br

Descalvado/ SP | +55(19)3593-9999 | sac@vansil.com.br

